

# TLILIC0023

## Licence to Operate a Slewing Mobile Crane (up to 60 tonnes)

### Learner Guide Instructions

Who is this document for?

The learner.

What is in this document?

- Course information that matches the PowerPoint presentation.
- Review questions.

What do you need to do before you use it for the first time?

1. Rebrand the document.
2. Review the document as part of your validation process.

**See the 'Read Me First' document for a complete set of instructions on how to use these resources.**



# LEARNER GUIDE

# TLILIC0023 - Licence to Operate a Slewing Mobile Crane (up to 60 tonnes)

<b>Learner Name:</b>	
<b>Learner ID:</b>	
<b>Learner Contact Number:</b>	
<b>Learner Email Address:</b>	
<b>Date Training Commenced:</b>	

## This Book Contains:

- Course Information.
- Review Questions.

The review questions can be retained by the trainer/assessor as proof of formative assessment if required.

# Table of Contents

<b>1.1 Introduction</b> .....	<b>7</b>
1.1.1 What is a Slewing Mobile Crane? .....	7
1.1.1.1 Parts of a Slewing Mobile Crane .....	8
1.1.1.2 Slewing Crane Movements .....	9
Please complete Section 1 Review Questions 1 to 3. ....	9
<b>1.2 Working Safely</b> .....	<b>9</b>
1.2.1 Health and Safety Rules .....	10
1.2.2 Duty of Care .....	10
Please complete Section 1 Review Questions 4 and 5. ....	10
<b>1.3 Planning for the Work</b> .....	<b>11</b>
1.3.1 Work Instructions and Safety Information .....	11
1.3.1.1 Lifting Plans .....	12
1.3.2 Traffic Management Requirements .....	14
Please complete Section 1 Review Questions 6 to 10. ....	14
<b>1.4 Identify Hazards to Control Risks</b> .....	<b>15</b>
1.4.1 Consulting with Other Workers about Hazards and Risks .....	16
1.4.2 Assess Risks .....	16
1.4.3 Control Hazards .....	18
1.4.3.1 Personal Protective Equipment .....	18
1.4.3.2 Working Near Power Lines .....	19
Power Line Visual Indicators .....	22
1.4.3.3 Task-Specific Control Strategies .....	22
Exclusion Zones .....	23
1.4.4 Apply Hazard Control Measures .....	23
1.4.4.1 Lighting the Work Area .....	24
Please complete Section 1 Review Questions 11 to 17. ....	24
<b>1.5 Check the Path of Movement</b> .....	<b>24</b>
1.5.1 Load Destination Checks .....	24
Please complete Section 1 Review Question 18. ....	25
<b>1.6 Communications</b> .....	<b>25</b>
Please complete Section 1 Review Questions 19 and 20. ....	26
<b>2.1 Load Assessment</b> .....	<b>27</b>
2.1.1 Common Loads .....	27
Please complete Section 2 Review Question 1. ....	27
<b>2.2 Choose the Right Crane for the Job</b> .....	<b>28</b>
2.2.1 Select Lifting Gear .....	28
2.2.2 Flexible Steel Wire Ropes .....	30
2.2.2.1 Inspection Criteria for FSWR .....	31
2.2.2.2 Rated Capacity of FSWR .....	32
2.2.3 Chains .....	32
2.2.3.1 Inspection Criteria for Chains .....	33
2.2.3.2 Rated Capacity of Chain .....	34
2.2.4 Synthetic Webbing Slings .....	34
2.2.4.1 Inspection Criteria for Synthetic Slings .....	36
2.2.5 Shackles .....	36
2.2.6 Eyebolts .....	37
2.2.7 Hooks .....	37
2.2.8 Plate Clamps and Beam Clamps .....	38
2.2.9 Spreader and Lifting Beams .....	38
2.2.9.1 Lifting Beam .....	39
2.2.9.2 Spreader Beam .....	39
2.2.9.3 Lifting Lugs .....	39
2.2.10 Slinging Techniques and Calculations .....	40
2.2.11 Load Factors and Slings .....	41
2.2.12 Using Shackles and Eye Bolts .....	42

2.2.13 Safe Slinging Techniques.....	44
2.2.13.1 Slinging Technique 1 .....	44
2.2.13.2 Slinging Technique 2 .....	45
2.2.13.3 Slinging Technique 3 .....	46
2.2.13.4 Slinging Technique 4 .....	46
2.2.14 Temporary Rope Connections.....	47
2.2.15 Determine Special Requirements and Lifting Points of Load.....	50
Please complete Section 2 Review Questions 2 to 27.....	50
<b>2.3 Crane and Equipment Checks.....</b>	<b>51</b>
2.3.1 Pre-Start Checks.....	51
2.3.1.1 Boom Checks.....	53
2.3.1.2 Tyres .....	53
2.3.1.3 Lifting Hook.....	53
2.3.1.4 Sheaves .....	54
2.3.1.5 Drums.....	54
2.3.1.6 Boom Pawl .....	55
2.3.1.7 Lifting Equipment.....	55
2.3.2 Access and Start the Crane .....	56
2.3.3 Locate and Identify Controls .....	56
2.3.4 Check the Crane Logbook .....	57
2.3.5 Check the Crane Safety Devices .....	58
2.3.6 Operational Checks.....	58
2.3.7 Check Communication Equipment.....	60
2.3.8 Report Any Faults.....	60
Please complete Section 2 Review Questions 28 to 39.....	60
<b>2.4 Check Ground Conditions .....</b>	<b>61</b>
Please complete Section 2 Review Questions 40 to 42.....	61
<b>2.5 Drive the Crane to the Work Area .....</b>	<b>62</b>
Please complete Section 2 Review Question 43.....	62
<b>2.6 Position the Crane for Work.....</b>	<b>62</b>
Setting Up Close to Trenches/Excavations .....	62
Setting Up and Operating Close to Buildings.....	63
Setting Up in Restricted Spaces .....	63
2.6.1 Outriggers/Stabilisers.....	63
2.6.2 Packing.....	64
2.6.2.1 Calculating the Required Size of Packing.....	64
Example – Calculating the Required Area of Packing Lifting over Multiple Outriggers.....	65
Please complete Section 2 Review Questions 44 to 46.....	65
<b>2.7 Configure the Crane .....</b>	<b>65</b>
2.7.1 Boom Configuration .....	66
2.7.2 Fly Jib.....	66
2.7.3 Counterweights .....	66
Please complete Section 2 Review Questions 47 and 48.....	66
<b>2.8 Input Computer Data .....</b>	<b>67</b>
Please complete Section 2 Review Questions 49 and 50.....	67
<b>2.9 Test Communication Equipment .....</b>	<b>67</b>
Please complete Section 2 Review Question 51.....	67
<b>3.1 Determine Crane Capacity.....</b>	<b>68</b>
3.1.1 Load Charts.....	68
3.1.2 Factors that Affect the Amount a Crane Can Lift.....	69
3.1.2.1 Crane Capacity Calculations.....	70
Example 1 – Lifting on the Main Hook with the Jib Stored .....	70
Increasing the Capacity Using the Same Radius.....	73
Example 2 – Lifting on the Main Hook with the Jib Fitted.....	73
Increasing the Capacity Using the Same Radius.....	76
Example 3 – Lifting on the Auxiliary Hook with the Jib Fitted (Based on Radius) .....	76
Example 4 – Lifting on the Auxiliary Hook with the Jib Fitted (Based on Angle).....	78

3.1.3 Review Work Plans and Information .....	80
Please complete Section 3 Review Questions 1 to 8. ....	80
<b>3.2 Position the Crane Hook.....</b>	<b>81</b>
Please complete Section 3 Review Question 9. ....	81
<b>3.3 Conduct a Test Lift .....</b>	<b>81</b>
Please complete Section 3 Review Question 10. ....	82
<b>3.4 Follow Communication Signals .....</b>	<b>82</b>
Please complete Section 3 Review Questions 11 and 12. ....	83
<b>3.5 Operate the Crane .....</b>	<b>84</b>
3.5.1 Crane Movements.....	84
3.5.2 Double Blocking.....	85
3.5.3 Lifting Personnel.....	85
3.5.4 Using Taglines.....	86
3.5.5 Monitor the Movement of the Load .....	86
Please complete Section 3 Review Questions 13 to 18.....	86
<b>3.6 Review the Route of Travel .....</b>	<b>87</b>
Please complete Section 3 Review Question 19.....	87
<b>3.7 Configure the Crane to Mobile Loads .....</b>	<b>87</b>
Please complete Section 3 Review Question 20.....	87
<b>3.8 Mobile the Load .....</b>	<b>88</b>
Mobilising Loads on Slopes or Inclines.....	88
3.8.1 Monitor Weather Conditions .....	89
3.8.2 Land the Load .....	90
3.8.2.1 Remove Lifting Gear.....	90
3.8.2.2 Inspect Lifting Gear.....	91
Please complete Section 3 Review Questions 21 to 25.....	91
<b>3.9 Unplanned and Unsafe Situations .....</b>	<b>91</b>
3.9.1 Crane Malfunctioning .....	92
3.9.2 Problem with a Limiting Device.....	92
3.9.3 Abnormal Noises and Vibrations .....	93
3.9.4 Loose Connection Pins .....	93
3.9.5 Problem with the Crane's Computer or Visual Display.....	94
3.9.6 Unstable Crane or Load.....	94
3.9.7 Contact with Power Lines and Other Electrical Emergencies .....	95
Please complete Section 3 Review Questions 26 and 27 .....	95
<b>3.10 Workplace Emergencies.....</b>	<b>95</b>
3.10.1 Emergency Response.....	96
3.10.2 Reporting an Emergency .....	96
3.10.3 First Aid .....	96
Please complete Section 3 Review Questions 28 and 29.....	96
<b>3.11 Conclude Operations .....</b>	<b>97</b>
3.11.1 Leaving a Crane Unattended Overnight.....	97
3.11.2 Removing Hazard Control Measures.....	97
3.11.3 Packing Up the Crane.....	98
3.11.3.1 Stow and Secure the Crane Boom/Jib.....	98
3.11.3.2 Apply Motion Locks and Brakes .....	98
3.11.3.3 Stow and Secure Outriggers/Stabilisers .....	99
3.11.3.4 Stow and Secure Plates and Packing .....	99
3.11.4 Preparing the Crane for Travel.....	99
3.11.4.1 Travel to Shutdown Site .....	99
3.11.5 Shutting Down and Securing the Crane.....	100
Please complete Section 3 Review Questions 30 to 33.....	100
<b>3.12 Conduct Post-Operational Checks.....</b>	<b>100</b>
3.12.1 Record and Report Damage and Defects .....	101
Please complete Section 3 Review Questions 34 to 36.....	101

<b>Appendix A – Slewing Mobile Crane (Up to 60 Tonnes) Inspection Checklist.....</b>	<b>102</b>
<b>Appendix B – Crane Specifications – Slewing Mobile Crane (Up to 60 Tonnes).....</b>	<b>107</b>
<b>Supplement: Characteristics of Other Crane Classes.....</b>	<b>110</b>
<b>Review Questions.....</b>	<b>113</b>
Section 1.....	113
Section 2.....	121
Section 3.....	141
Supplementary Theory Test.....	157
Non-Slewing Mobile Crane .....	157
Vehicle Loading Crane .....	159
Reach Stacker .....	161

Evaluation Copy Only



# 1.1 Introduction

These training materials are based on the National High Risk Work Licence Unit of Competency **TLILIC0023 - Licence to Operate a Slewing Mobile Crane (up to 60 tonnes)**.

You will learn about:

- ◆ Planning the job.
- ◆ Selecting and inspecting equipment.
- ◆ Preparing the site and equipment.
- ◆ Performing the task.
- ◆ Shutting down the job and cleaning up.



## 1.1.1 What is a Slewing Mobile Crane?

A slewing mobile crane is a crane with a boom or jib that is capable of being slewed.

This course covers slewing mobile cranes with a capacity up to 60 tonnes.




This **does not** include:


- ◆ A front-end loader; or
- ◆ A backhoe; or
- ◆ An excavator; or
- ◆ Other earth moving equipment, when configured for crane operation.

### 1.1.1.1 Parts of a Slewing Mobile Crane

Each slewing mobile crane is different. Always refer to the manufacturer's information before conducting any crane operations. The following diagram outlines the general parts of a slewing mobile crane.




The following diagram outlines the general parts of a lattice boom type slewing mobile crane.





### 1.1.1.2 Slewing Crane Movements

Crane movements that you may use when shifting loads include:



- ◆ **Telescoping** – the extension and retraction movement of a hydraulic type boom.
- ◆ **Luffing** – the up and down movement of the boom.
- ◆ **Hoisting** – the raising and lowering of the hook block using the hoist rope.
- ◆ **Slewing** – the circular movement of the boom.
- ◆ **Travelling** – mobilising the crane with a load.
- ◆ Operation of **outriggers/stabilisers**.

**Please complete Section 1 Review Questions 1 to 3.**

## 1.2 Working Safely

You must follow all safety rules and instructions when performing any work. If you are not sure about what you should do, ask your boss or supervisor. They will tell you what you need to do and how to do it in a safe way.



## 1.2.1 Health and Safety Rules

Every workplace has to follow laws and rules to keep everyone safe. There are 4 main types:

Legislation	Explanation
Acts	These are laws that you have to follow.
Regulations	These explain what the law means.
Codes of Practice	These are instructions on how to follow the law, based on industry standards.
Australian Standards	These tell you what the minimum requirement is for a job, product or hazard.

Some states use OHS laws, and other states use WHS laws. They both talk about the same thing, but use different words or names for people. If you have any questions about safety rules you should talk to your boss or supervisor.

## 1.2.2 Duty of Care

Everybody in the workplace has a responsibility to keep themselves and others as safe as possible while they are at work. This is called a 'Duty of Care'.



Any licensed worker must take reasonable steps to make sure the way they work does not impact on the safety of themselves or any other worker. This is their legal duty of care. Your duty of care requires the following:

- ◆ To take reasonable care of your own safety and the safety of others.
- ◆ To cooperate with your employer in any way that ensures the health and safety of the workplace.
- ◆ To avoid taking unnecessary risks, acting dangerously or using workplace equipment in unsafe ways, or ways it is not designed to be used.

Failing to work safely can result in the health and safety regulator:

- ◆ Suspending or cancelling your licence.
- ◆ Refusing to renew your licence.
- ◆ Ordering that you are reassessed to ensure you are competent.
- ◆ Take legal action to prosecute you.



Your employer must take steps to ensure that the workplace is as safe as possible for you and other workers. In order to do this they can:



- ◆ Provide a safe workplace with minimal risks.
- ◆ Provide and maintain safe plant, equipment and structures.
- ◆ Provide and maintain safe systems/procedures for work.
- ◆ Provide facilities that are adequate for the personnel on site.
- ◆ Provide instruction, training, supervision and information for any work to be undertaken safely, **including any time you are required to use an unfamiliar piece of equipment.**
- ◆ Take action to ensure all equipment, plant & substances used on site is handled and stored in a safe way.

**Please complete Section 1 Review Questions 4 and 5.**

## 1.3 Planning for the Work

There will be specific requirements and things to consider when you plan for the task you will be completing.

You should think about:

- ◆ Communications (are they safe and adequate?).
- ◆ Location of the task.
- ◆ Implementation of exclusion zones.
- ◆ Permits and/or licences required for the task.
- ◆ Load configuration and conditions, weight, size of the load, slinging arrangements, method of attachment, load balance, load security (loose loads).
- ◆ Equipment required for the task.
- ◆ Availability of equipment.
- ◆ Capability/capacity of the crane.
- ◆ Safe work procedures.
- ◆ Specifics of the task.
- ◆ Issues specific to the site.



For example, if you needed to set up a crane in a busy street, you would need to check with the local authorities to see if there are any permits required for traffic control, any exclusion zones that need to be put in place, or if there are any conditions/ requirements under which you would need to operate the crane

The location of underground services should also be confirmed and planned for.

You should also check weather forecasts for the area as part of planning your job to ensure you are aware of any weather or environmental conditions that may impact the site and crane operations.

### 1.3.1 Work Instructions and Safety Information



All work needs to follow worksite and company safety procedures.

Procedures help to make sure that all work is done in a safe way, without damaging equipment or putting people in unsafe situations. They also help to make sure that work is done in the correct order and doesn't interrupt or get in the way of other work that is happening on the site.

Your work instructions will tell you the safest way to do the job, and the equipment that you will need to use. It is a good idea to check your work instructions with your boss or supervisor to make sure you know exactly what you need to do.

You need to be clear about what work you will be doing. Make sure you have everything about the job written down before you start. This includes what you will be doing, how you will be doing it and what equipment you will be using.

Make sure you have all of the details about where you will be working and the job. For example:

<b>The Site</b>
Is there clear access for all equipment? Are there buildings, structures, facilities or trees in the way? What are the ground conditions like? Is there a safe place for the load to be moved to?
<b>The Weather</b>
Is there wind, rain or other bad weather? Is it too dark?
<b>Facilities and Services</b>
Are there power lines or other overhead or underground services to think about?
<b>Traffic</b>
Are there people, vehicles or other equipment in the area that you need to think about? Do you need to get them moved out of the area? Do you need to set up barriers or signs?
<b>Hazards</b>
Are there dangerous materials to work around or think about? Will you be working close to power lines or other people?
<b>The Task</b>
What load is being moved? How big is it? How much does it weigh? Does it need any special lifting arrangements?



Instructions for the task can include:

- ◆ Manufacturer's guidelines (instructions, specifications, checklists).
- ◆ Industry operating procedures.
- ◆ Workplace procedures (work instructions, operating procedures, management plans, safety policies, checklists).

If you don't know where to get your instructions or you can't understand them, you can ask your boss or supervisor. They will tell you where to find your work instructions and explain what they mean.

You can also speak with your WHS workplace representative for more information about workplace safety.

### 1.3.1.1 Lifting Plans

Before starting the work, you will need to plan the job. This usually includes completing a Lifting Plan.

A lifting plan should include:

- ◆ Confirmed details of lifting and slinging requirements.
- ◆ Confirmed dimensions and mass.
- ◆ Site access and egress.
- ◆ Suitability and availability of materials.
- ◆ Tools and equipment.
- ◆ Identification of potential hazards.
- ◆ Probable control measures.
- ◆ Identification of site coordination requirements.





Shown here is an example of a lifting plan template:

<b>LIFTING PLAN</b>		Date: <input style="width: 100px;" type="text"/>
<b>Work location:</b>		
<b>Load description:</b>		
<b>Load dimensions:</b>		
<b>Load weight:</b>		
<b>Load location:</b>		
<b>Load destination:</b>		
<b>Lifting device:</b>		
<b>Lifting gear in use:</b>		
<b>Rigging configuration:</b>		
<b>Licensed Dogger/Rigger:</b>		
<b>Other personnel:</b>		
<b>Hazards identified:</b>		
<b>Controls to be implemented:</b>		
<b>Task plan:</b>	<i>Step-by-step process of how the lift will be conducted and schedule of lifts.</i>	
<b>Tools &amp; Equipment required:</b>		
<b>Communication method:</b>		
<b>Plan checklist:</b>	<input type="checkbox"/> Is the exact weight of the load known and confirmed? <input type="checkbox"/> Is the lifting device suitable for the lift (rated capacity)? <input type="checkbox"/> Has equipment been checked and cleared for use? <input type="checkbox"/> Have drawings and sketches been completed? <input type="checkbox"/> Has a risk assessment been conducted?	
<b>Approval signoff:</b>		

You will need to speak with other personnel on site while putting together the plan so that you can organise coordination requirements and hazard control measures.

Once you have completed your preliminary lifting plan in accordance with procedures and site requirements you will need to confirm that the job can be carried out the way you have planned. This is called confirming the job feasibility.



Confirming the job feasibility includes:

- ◆ Checking with any other personnel involved in the work to make sure they are:
  - ◇ Available.
  - ◇ Experienced, competent and qualified.
  - ◇ Aware of the requirements of the job and the lifting equipment that is available.
- ◆ Organising to contact:
  - ◇ The load designer.
  - ◇ Site management.
  - ◇ Suppliers.

The load designer is the person who determines the best way to pack and unpack items from a truck, pallet or container. They work out how items will fit together in the best way, as well as making sure the load is properly balanced.

You may need to speak to the load designer to make sure you:

- ◆ Unload items in the correct order.
- ◆ Load items correctly.

The load designer may also have information about:

- ◆ The load weight or size.
- ◆ The weight distribution for the load.

Speak with your supervisor once you have completed your plan to make sure it is achievable in the timeframe available to you.



### 1.3.2 Traffic Management Requirements

On worksites it is often necessary to control the movement of traffic around and through the site. To do this there are 2 different types of traffic management plans:

- ◆ **Traffic Management Plan** – deals with traffic moving through the site, i.e. traffic on public roads and members of the public.
- ◆ **Vehicle Management Plan** – deals with on-site vehicle movements, haul circuits and dump runs, and material routes.

As part of planning your work you need to confirm that the traffic management plan has been implemented according to workplace procedures.



**Please complete Section 1 Review Questions 6 to 10.**



## 1.4 Identify Hazards to Control Risks

Before you start work, you need to check for any hazards or dangers in the area. If you find a hazard or danger you need to do something to control it. This will help to make the workplace safer.

Part of your job is to look around to see if you can find any hazards before you start any work.

A **hazard** is the thing or situation with the potential to cause injury, harm or damage.

When you start checking for hazards, make sure you look everywhere. A good way to do this is to check:

- ◆ **Up high** above your head.
- ◆ All around you **at eye level**.
- ◆ **Down low** on the ground (and also think about what is under the ground).



Some common hazards related to slewing mobile crane operations include:

- ◆ Overhead hazards such as power lines, service lines, and service pipes.
- ◆ Underground services.
- ◆ Ground surfaces and conditions including:
  - ◇ Surfaces that may not bear the weight of the crane or other equipment.
  - ◇ Recently filled trenches.
  - ◇ Slopes.
- ◆ Bad weather conditions such as strong winds, lightning or storms.
- ◆ Insufficient lighting/lack of illumination.
- ◆ Vehicle traffic.
- ◆ Plant and equipment.
- ◆ Pedestrians and workers.
- ◆ Site specific hazards such as dangerous materials.
- ◆ Trees.
- ◆ Buildings, facilities and other surrounding structures.
- ◆ Obstructions or obstacles.
- ◆ Unusual or difficult terrains.

## 1.4.1 Consulting with Other Workers about Hazards and Risks

Controlling a hazard can be a team effort and it's important that everybody knows what they need to do and how or if they need to change their work process to suit.

You should also speak with several personnel on site when preparing for work including:

- ◆ Safety officers.
- ◆ Site engineers (where applicable).
- ◆ Supervisors.
- ◆ Other workers.
- ◆ Managers who are authorised to take responsibility for the workplace or operations.
- ◆ Health and Safety Representatives.
- ◆ Work Health and Safety Committee members.




These people can help you to identify workplace specific hazards including unsuitable ground conditions and appropriate controls. It is important to speak with them to ensure that all workplace policies and procedures are being followed as well.

## 1.4.2 Assess Risks

Once you have identified the hazards on site or related to the work you will be doing you may be required to assess their risk level.

A **Risk** is the chance of a hazard causing harm, injury, damage or death.

Risk levels are worked out by looking at 2 factors:



You can use a table like the one shown here to work out the risk level:

	Consequence				
Likelihood	1. Insignificant	2. Minor First Aid Required	3. Moderate Medical Attention and Time Off Work	4. Major Long Term Illness or Serious Injury	5. Catastrophic Kill or Cause Permanent Disability or Illness
1. Rare	Low	Low	Moderate	Moderate	Moderate
2. Unlikely	Low	Low	Moderate	Moderate	High
3. Possible	Low	Moderate	High	High	Extreme
4. Likely	Moderate	Moderate	High	High	Extreme
5. Almost Certain	Moderate	High	High	Extreme	Extreme